



# COLT 1000

## SCALPING SCREEN

COMPACT | EASY TO OPERATE | VERSATILE

# OVERVIEW - COLT 1000

The highly adaptable Colt 1000 Scalping screen is able to operate in both heavy duty scalping and precision screening applications and will manage the most difficult of materials.

The Colt 1000 achieves a compact footprint maintaining the ethos of the EvoQuip range while achieving versatility and mobility. Flexibility is enhanced with configurable conveyor options and two way split conversion.

Featuring an aggressive double deck screen, variable screening angle with numerous screen media options, broad fines conveyor, quick set up time and tall discharge heights ensures the Colt 1000 distinguishes itself amongst its competition.

## 1 HOPPER

- 5m<sup>3</sup> (6.5yd<sup>3</sup>) Hopper Capacity
- 1100mm (44") wide
- Variable speed

## 4 ENGINE OPTIONS

- Tier 4 Final / Stage IIIB: CAT C3.4 engine (55kW / 74hp @2300rpm)
- Simple to operate

## 2 SCREEN


- 4.1m (13'6") x 1.22m (4') Double deck screen
- Variable screen angle
- Wide range of screen media
- Top Deck - Bofor Deck, Fingers, Punch Plate, 3D Punch Plate & Mesh
- Bottom Deck - Mesh & Fingers

## 5 CONTROL SYSTEM

- Simple intuitive operation

## 3 CONVEYORS

- 1000mm (40") Wide collection conveyor with SCS scraper
- 800mm (31") Wide fines conveyor with 3.9m (12'8") discharge
- 650mm (26") Wide midgrade conveyor with 3.7m (12'2") discharge
- 1050mm (41") Wide oversize conveyor with 3.2m (10'4") discharge



**CONFIGURABLE  
LAYOUT AND ABILITY  
TO CONVERT TO 2  
WAY SPLIT**



**VARIABLE SPEED  
ON FEEDER, FINES,  
MIDGRADE AND OVERSIZE  
AS STANDARD**

**UP TO  
360  
TONNES PER HOUR  
(396 US TPH)**

# VERSATILITY



**2  
WAY  
SPLIT**



**VARIABLE  
SCREEN  
THROW**



**VARIABLE  
SCREEN  
ANGLE**



**HIGH ENERGY  
AGGRESSIVE  
SCREEN**



**REVERSIBLE SIDE  
CONVEYORS/CONFIGURABLE  
DISCHARGE**





**INTUITIVE  
CONTROL  
SYSTEM**



**WIDE RANGE  
OF SCREEN  
MEDIA**



**QUICK  
SETUP  
TIME**



**ENGINE  
POWER**


Tier 4: 55kW / 74Hp



**IDEAL FOR  
URBAN  
USE**



**EASY  
TO  
TRANSPORT**



Weight (standard machine) Tier4F: 20,750Kgs (45,745 lbs)

**DIMENSIONS - COLT 1000**

200 Coalisland Road,  
Dungannon, Co. Tyrone, BT714DR  
**Tel:** +442887718500  
**Email:** [evoquip@terex.com](mailto:evoquip@terex.com)



**[terex.com/EvoQuip](https://www.terex.com/EvoQuip)**

The material in this document is for information only and is subject to change without notice.

Terex assumes no liability resulting from errors or omissions in this document, or from the use of the information contained herein.

Due to continual product development we reserve the right to change specifications without notice.

Photographs are for illustrative purposes only, some or all of the machines in the illustrations may be fitted with optional extras.

Copyright 2019 Terex GB Limited.

Published and Printed in February 2019.